

SAFETY DATA SHEET

According to
HSNO Hazardous Substances (Safety Data Sheets) Notice 2017

Section 1. Identification of the material and the supplier

Product: **Kantor**
 Product Use: Adjuvant for use in plant protection products
 Restriction of Use: Refer to Section 15

New Zealand Supplier: **Agrisource 2000 Ltd**
 Address: 45 Kitchener Road
 Pukekohe, Auckland

Telephone: +64 9 237 0422
Emergency No: 0800 764 766 (National Poison Centre)

Date of SDS Preparation: 28 November 2023

Section 2. Hazards Identification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval No: Additives, Process Chemicals and Raw Materials (Subsidiary Hazard) - HSR002503

Pictograms



Signal Word: **DANGER**

GHS Classification and Category	Hazard Code	Hazard Statement
Skin sensitisation Cat. 1	H317	May cause an allergic skin reaction.
Serious eye damage Cat. 1	H318	Causes serious eye damage.
Hazardous to the aquatic environment chronic Cat. 3	H412	Harmful to aquatic life with long lasting effects.

Prevention Code	Prevention Statement
P103	Read carefully and follow all instructions.
P261	Avoid breathing dust, fumes, gas, mist, vapours or spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment [if this is not the intended use].
P280	Wear protective clothing [as detailed in SDS Section 8].

Response Code	Response Statement
P310	Immediately call a POISON CENTER or doctor/physician.

P321	Specific treatment (see ... <reference to supplemental first aid instruction> on this label).*
P302 + P352	IF ON SKIN: Wash with plenty of water.
P305 + P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash before reuse.

Storage Code	Storage Statement
None allocated	

Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

Section 3. Composition / Information on Hazardous Ingredients

Ingredients	Wt%	CAS NUMBER.
Acetic Acid 80%	0.1 - 9.9	64-19-7
D-glucopyranose, oligomers, decyl octyl glycosides	0.1 - 9.9	68515-73-1
Rosin; colophony	<9.9	8050-09-7
Non-hazardous ingredients	To balance	

Section 4. First Aid Measures

Routes of Exposure:

If in Eyes	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
If on Skin	Take off contaminated clothing. Take-off contaminated clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin rash occurs, get medical advice.
If Swallowed	Rinse mouth out with water. Do NOT induce vomiting. Get medical advice/attention if you feel unwell.
If Inhaled	Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Apply artificial respiration if not breathing. Get medical advice if breathing becomes difficult.

Most important symptoms and effects, both acute and delayed

Symptoms: Serious damage to eyes. tears, redness, pain, blurred vision. Rosin may produce an allergic reaction such as rash, redness, itching, swelling.

Notes to Doctor: Treat symptomatically. Clear water point recommended at the workplace.

Section 5. Fire Fighting Measures

Hazard Type	This product is non-flammable.
Hazards from decomposition products	Carbon dioxide. Carbon monoxide. In case of fire and/or explosion do not breathe fumes.

Suitable Extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand. Do not use a heavy water stream.
Precautions for firefighters and special protective clothing	Do not enter fire area without proper protective equipment, including respiratory protection. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent firefighting water from entering the environment.
HAZCHEM CODE	None allocated.

Section 6. Accidental Release Measures

Evacuate unnecessary personnel. See section 8 of the SDS for more information on personal protective equipment. Ventilate area.

Do not allow to enter waterways.

Equip clean-up crew with proper protection as per Section 8. Avoid contact with skin and eyes. Take off contaminated clothing and wash it before reuse. Contaminated work clothes should not be taken out of the workplace. Wash hands and exposed skin thoroughly.

Section 7. Handling and Storage

Precautions for Handling:

- Handle in accordance with good hygiene and safety practice.
- Read carefully and follow all instructions.
- Avoid breathing fumes, mist, vapours or spray.
- Contaminated work clothing should not be allowed out of the workplace.
- Avoid release to the environment [if this is not the intended use].
- Wear personal protection equipment as per Section 8.
- Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
- Provide good ventilation in process area to prevent formation of vapour.

Precautions for Storage:

- Store away from strong bases and strong acids.
- Keep only in the original container in a cool, well ventilated place.
- Keep container closed when not in use.
- Store away from sources of ignition and direct sunlight.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Substance		TWA		STEL	
		ppm	mg/m ³	ppm	mg/m ³
Acetic acid	[64-19-7]	10	25	15	37

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 13TH EDITION.

D-glucopyranose, oligomers, decyl octyl glycosides (68515-73-1)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	595000 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	420 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	35.7 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	124 mg/m ³
Long-term - systemic effects, dermal	357000 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.176 mg/l
PNEC aqua (marine water)	0.0176 mg/l
PNEC aqua (intermittent, freshwater)	0.27 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	1516 mg/kg dwt
PNEC sediment (marine water)	0.152 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.654 mg/kg dwt

D-glucopyranose, oligomers, decyl octyl glycosides (68515-73-1)	
PNEC (Oral)	
PNEC oral (secondary poisoning)	111.11 mg/kg food
PNEC (STP)	
PNEC sewage treatment plant	560 mg/l
ACETIC ACID 80% (64-19-7)	
DNEL/DMEL (Workers)	
Acute - local effects, inhalation	25 mg/m ³
Long-term - local effects, inhalation	25 mg/m ³
DNEL/DMEL (General population)	
Acute - local effects, inhalation	25 mg/m ³
Long-term - local effects, inhalation	25 mg/m ³
PNEC (Water)	
PNEC aqua (freshwater)	3058 mg/l
PNEC aqua (marine water)	0.3058 mg/l
PNEC aqua (intermittent, freshwater)	30.58 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	11.36 mg/kg dwt
PNEC sediment (marine water)	1136 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.47 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	85 mg/l

Engineering Controls

Ensure ventilation is adequate.

Personal Protection Equipment



Eyes	Wear chemical goggles or safety glasses to standard EN166.
Skin	Wear suitable protective clothing. Wear Nitrile rubber gloves of 0.4mm thickness.
Respiratory	Wear appropriate mask. Sufficient ventilation should be provided to maintain levels below exposure limits. Wear CE approved appropriate mask for acid gases and vapours (type E, yellow) in case of transfer, intensive use, mists or use in confined area.
General Hygiene	Do not eat, drink or smoke during use.

Section 9 Physical and Chemical Properties

Appearance	Liquid
Colour	Clear to slightly hazy. Amber
Odour	Characteristic
Odour Threshold	Not available
pH	4.5 – 5.5
Boiling Point	>150°C
Melting /Freezing Point	Not available
Flash Point	>100°C
Flammability	Not flammable
Upper and Lower Explosive Limits	Not available
Vapour Pressure	Not available
Vapour Density	Not available
Relative Density	0.982
Solubility	Not available
Octanol/water partition coefficient:	Not available
Auto-ignition Temperature	Not available
Decomposition Temperature	Not available
Kinematic Viscosity	Not available
Octanol/Water Particle Coefficient	Not available

Section 10. Stability and Reactivity

Stability of Substance	Stable under normal handling and storage conditions recommended in Section 7.
Possibility of hazardous reactions	No dangerous reactions known under normal conditions of use. Stable under normal conditions of use.
Conditions to Avoid	Direct sunlight. Extremely high or low temperatures.
Incompatible Materials	Strong acids. Strong bases.
Hazardous Decomposition Products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11 Toxicological Information**Acute Effects:**

Swallowed	Not applicable.
Dermal	Not applicable.
Inhalation	Not applicable.
Eye	Causes serious eye damage.
Skin	May cause an allergic skin reaction.

Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive Toxicity	Not applicable.
Germ Cell Mutagenicity	Not applicable.
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Not applicable.

Toxicity data for individual components:

D-glucopyranose, oligomers, decyl octyl glycosides (68515-73-1)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method)
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
ACETIC ACID 80% (64-19-7)	
LD50 oral rat	3310 mg/kg bodyweight Animal: rat, Remarks on results: other:
LD50 oral	4960 mg/kg bodyweight Animal: mouse, Remarks on results: other:
ATE CLP (oral)	3310 mg/kg bodyweight

Additional Information:

D-glucopyranose, oligomers, decyl octyl glycosides (68515-73-1)	
NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)
ACETIC ACID 80% (64-19-7)	
NOAEL (oral, rat, 90 days)	290 mg/kg bodyweight Animal: rat, Animal sex: male

Section 12. Ecotoxicological Information

Harmful to aquatic life with long lasting effects.

Product:	
Persistence and degradability	No data available
Bioaccumulation	No data available
Mobility in Soil	No data available
Other adverse effects	No data available

Data for individual components:

D-glucopyranose, oligomers, decyl octyl glycosides (68515-73-1)	
LC50 - Fish [1]	100.81 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
LC50 - Fish [2]	170 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	27.22 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	37 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
ACETIC ACID 80% (64-19-7)	
LC50 - Fish [1]	> 1000 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
LC50 - Fish [2]	> 300.82 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	> 1000 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	> 300.82 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 1000 mg/l Test organisms (species): Skeletonema costatum
EC50 72h - Algae [2]	> 300.82 mg/l Test organisms (species): Skeletonema costatum

Do not allow to enter waterways.

Section 13. Disposal Considerations

Disposal Method:

Dispose in a safe manner in accordance with local/national regulations.

Precautions or methods to avoid: Avoid release of concentrate to the environment.

Section 14 Transport Information

This product is NOT classified as a Dangerous Good for transport in NZ; NZS 5433:2020

Section 15 Regulatory Information

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval No: Additives, Process Chemicals and Raw Materials (Subsidiary Hazard) - HSR002503

HSW (HS) Regulations 2017	Trigger Quantity
Signage Trigger Quantities (Schedule 3)	1000L
Emergency Response Plan (Schedule 5)	1000L
Secondary Containment (Schedule 5)	1000L
Tracking (Schedule 26)	Not required
Certified Handlers	Not required
Location Certificate	Not required
Restrictions of use	Refer to EPA controls or Group Standard as appropriate.
ACVM Registration Number (See www.foodsafety.govt.nz for registration conditions).	Exempt

Glossary

EC ₅₀	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
HSW	Health and Safety at Work.
LC ₅₀	Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.
LD ₅₀	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible authority.
UEL	Upper Explosive Level
WES	Workplace Exposure Limit

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
2. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 edition.
3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
4. Transport of Dangerous goods on land NZS 5433:2020
5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the Agri source 2000 Ltd, if further information is required.

Issue Date:

28 November 2023

Review Date:

28 November 2028