



Avipel®

A seed treatment for the protection of Maize, Sweetcorn, Turf seed and Forage Ryegrass, Herb, Brassica and Cereal seed against consumption by birds

Contains 500g/litre 9,10-Anthraquinone in the form of a suspension concentrate

Keep out of the reach of children



AGRISOURCE
PRODUCTS FOR AGRICULTURE

Net Contents
10 Litres



READ LABEL COMPLETELY BEFORE USE

HSNO CLASSIFICATIONS: Eye irritation Cat. 2, Carcinogenicity Cat. 2



WARNING

Causes serious eye irritation. Suspected of causing lung cancer.

HANDLING PRECAUTIONS

Personal Protection

When mixing or applying, avoid contact with skin and eyes. Wear full protective clothing, gloves and goggles. Do not eat or drink while using. Wash hands and face before meals and after work. Wash protective clothing after work.

Storage

Store in original container tightly closed and in a locked, dry, cool, well-ventilated area.

Spillage

Move non-essential people from the area. Wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Sweep up solids without creating dust. Wash area with water and absorb with further inert material. Dispose of waste safely (such as to a suitable landfill).

Product Disposal

Dispose of unwanted product by use by another operator strictly in accordance with label directions.

Container Disposal

Triple rinse container and add rinsate to spray tank. Dispose of cleaned container at your local AGRECOVERY container collection site. Safety Data Sheet: Additional information is provided in the SDS available from your supplier.

Safety Data Sheet

Additional information is provided in the SDS available from your supplier, or www.agrisource.co.nz

FIRST AID

If swallowed DO NOT induce vomiting. For advice, contact the National Poisons Centre 0800 Poison (0800764 766) or a doctor immediately. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. DO NOT scrub the skin. If concentrate is splashed in the eyes, flush with running water immediately. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention. If exposed or concerned, get medical advice/attention.

EMERGENCY RESPONSE

In a transport emergency call 111, Police or Fire Brigade

Avipel® is a registered trademark of Agri Solutions Limited

HSNO Approval No. HSR002679
See www.epa.govt.nz for approval conditions

DISTRIBUTOR

AgriSource (2000) Ltd
45 Kitchener Road, Pukekohe 2120
09 237 0422 - www.agrisource.co.nz

BATCH NO:

DATE OF
MANUFACTURE:

GENERAL INFORMATION

The active ingredient in **Avipel** (9,10-Antraquinone) is made from a naturally occurring organic substance, and when applied correctly, forms a bird repellent coating on seed. When birds eat seeds coated with **Avipel**, they experience an unpleasant, but harmless gut reaction which they associate with the location. Birds may sample treated seeds, but they will avoid additional consumption.

Use this product only in commercial seed treatment equipment. Treated seed must not be used for or mixed with food or animal feed or processed for other uses.

APPLICATION

Avipel may be applied as a water-based slurry alone, or with other compatible seed treatment materials, or sequentially with other registered, crop protection products. Apply water-based slurry through a standard slurry, mist-type or batch commercial treater.

Prior to mixing, potential tank mix partners which include pesticides, colorants, dyes and polymers should be tested for physical compatibility with **Avipel**.

As seed treatment may alter the flow rate of the seed, the planter must be calibrated to ensure seed treated with **Avipel** is applied at the desired plant population.

MIXING

Prior to mixing or decanting ensure the container is well shaken or rolled to re-suspend the formulation. Application equipment must be clean and free of previously used pesticide. Uniform coating of the seed is necessary to insure proper efficacy. Depending on the type of seed treating equipment, a small amount of water can be added to the product to facilitate product flow through the spray nozzles. Do not exceed 40mL of water per litre **Avipel**.

After treatment, seed must be dry before storage or rebagging.

RATES

Maize & Sweetcorn seed	Apply 1 litre of Avipel per 100kg of seed
Turf Seed	
Forage Brassica seed	
Forage Grass seed	Apply 1.2 litres of Avipel per 100kg of seed
Forage Herb seed	
Cereal seed	

At the time of treatment the seed must be dyed a distinctive colour.

Containers of treated seed must be labeled with the following:

This seed has been treated with **Avipel** (9,10-Antraquinone) bird repellent and must not be used for human or animal consumption. Wear gloves and a dust mask when handling treated seed. Wash exposed skin before eating or drinking.

WITHHOLDING PERIODS

Not Applicable - Non systemic, no residues in emerging shoots/plant.

TREATED SEED DISPOSAL

Treated Seed must not be used for food or feed (left over treated seed should not be stored but should be double-sown around the headland).

CONDITIONS OF SUPPLY

All goods supplied by us are produced under rigid quality control procedures which assure the purchaser that at the time of sale they are physically suitable for use in the manner stated. However, to the extent permitted by law, buyers and/or users of the goods accept that neither the manufacturer, AgriSource as the distributor have any liability or responsibility whatsoever for any loss, damage or injury whether in contract or tort, whether direct, indirect or consequential howsoever rising in connection with the supply of these goods.

24 HOUR EMERGENCY RESPONSE 0800 CHEMCALL (0800 243 622)