



AGRISOURCE

FUNGICIDE

Curfew®

**A curative fungicide for control of downy
mildew in garlic and onions and late
blight in potatoes**

Contains 450g/kg cymoxanil in the form of a
water dispersible granule

HARMFUL // ECOTOXIC

Keep out of the reach of children

Net Contents **2.5 kg**

GROUP

27

FUNGICIDE



agrisource.co.nz

FREE RECYCLING



AGRECOVERY

www.agrecovery.co.nz

READ LABEL COMPLETELY BEFORE USE



HARMFUL

Harmful if swallowed. Causes serious eye irritation. May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure.

ECOTOXICITY

Toxic to aquatic life with long lasting effects. Avoid contamination of any water supply with product or empty container. Do not apply onto or into water. Harmful to terrestrial vertebrates. Avoid release to the environment. Collect spillage.

HANDLING PRECAUTIONS – FOR WORKPLACE USE ONLY

Personal Protection: Do not handle until all safety precautions have been read and understood. Do not breathe mist, or spray. Do not eat, drink or smoke when using this product. When mixing or applying, avoid contact with skin and eyes. Wear full protective clothing, gloves and goggles. Wash hands and face before meals and after work. Wash protective clothing after work. Contaminated work clothing should not be allowed out of the workplace.

Equipment: Apply using accurately calibrated and maintained equipment in accordance with the New Zealand Standard for the Management of Agrichemicals (NZS8409). Flush spray equipment thoroughly with water after use.

Storage: Store in original container tightly closed and in a locked, dry, cool, well ventilated area away from fertilisers, feed, seeds and foodstuffs. Keep out of reach of children. Store in accordance with NZ 8409 Management of Agrichemicals. Emergency response plans are required where 1000 Kgs or more of this product are stored. Refer to the product SDS for further information.

Shelf Life: When stored appropriately this product should show no significant degradation for two years from the date of manufacture.

Spillage: Move non-essential people from the area. Wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Sweep up solids without creating dust. Wash area with water and absorb with further inert material. Dispose of waste safely (such as to a suitable landfill).

Product Disposal: Dispose of unwanted product by use by another operator strictly in accordance with label directions or through an approved facility.

Container Disposal: Triple rinse container and add rinsate to spray tank. Dispose of cleaned container at your local AGRECOVERY container collection site.

Safety Data Sheet: Additional information is provided in the SDS available from your supplier or www.agrisource.co.nz

FIRST AID

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. IF SWALLOWED: Rinse Mouth. DO NOT induce vomiting. Call a POISON CENTER or doctor/physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation or rash occurs: Get medical advice/attention. IF exposed or concerned: Get medical advice/attention. If medical advice is needed, have product container or label at hand. For advice, contact the National Poisons Centre 0800 Poisons (0800 764 766).

EMERGENCY RESPONSE

In a transport emergency call 111, Police or Fire Brigade.

GENERAL INFORMATION

Curfew is a contact and systemic fungicide that has curative activity on downy mildew and late blight, when applied immediately after spore germination. It also acts as a short term protectant.

IMPORTANT – RESISTANCE MANAGEMENT

Curfew contains the **GROUP 27 FUNGICIDE** cymoxanil. Resistance to pesticides can develop from excessive use. To minimise this risk, avoid using this fungicide exclusively all season, avoid unnecessary spraying and endeavour to alternate with fungicides from other groups within the crop and in subsequent seasons for a sprayed paddock. Use strictly in accordance with label instructions. Maintain good cultural practices. Always apply Curfew in mixture with mancozeb fungicide. See 'Directions for Use' for recommendations. Do not use Curfew more than three times in succession and do not apply more than 5 times per season.

RAINFALL

Do not spray if rainfall is expected within 1 hour of spraying.

COMPATIBILITY

Curfew is compatible with most insecticides, but it is not compatible with Bordeaux mixture, lime-sulphur or other alkaline products.

MIXING

Add the required amount of Curfew directly into the partly filled spray tank whilst agitating. Ensure Curfew is mixed thoroughly before adding any other pesticide to the spray tank. Agitate during use and before using after a stoppage. Use all spray as soon as possible after mixing and do not allow to stand for an extended period, such as overnight.

SPRAY DRIFT

Take all reasonable steps to ensure that Curfew does not cause any significant adverse effects to the environment beyond the application area.

DIRECTIONS FOR USE

It is an offence to use this product on animals

As indicated below, Curfew must be used in combination with mancozeb, and is intended to be used as part of a spray programme with alternative fungicides.

CROP	DISEASE	CRITICAL COMMENTS
Garlic Onions	Downy Mildew	Apply 250-350g/ha as a tankmix partner with mancozeb at the recommended label rates. Begin spraying at the 2 true leaf stage and continue at 7-10 day intervals. Apply Curfew immediately after an infection period (but before disease symptoms occur). Do not use more than three times in succession and do not apply more than 5 times per season.
Potatoes	Late Blight	Apply 250-350g/ha as a tankmix partner with mancozeb at the recommended label rates at 7-10 day intervals. Use Curfew, applying immediately after an infection period (but before disease symptoms occur), and use alternative fungicides at other times. Do not use more than three times in succession and do not apply more than 5 times per season. Use the higher rate of Curfew under extreme infection conditions (Warm with high humidity).

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

CONDITIONS OF SUPPLY

All goods supplied by us are produced under rigid quality control procedures which assure the purchaser that at the time of sale they are physically suitable for use in the manner stated. However, to the extent permitted by law, buyers and/or users of the goods accept that neither the manufacturer, Agri Solutions Ltd as registrant, nor any other distributor have any liability or responsibility whatsoever for any loss, damage or injury whether in contract or tort, whether direct, indirect or consequential howsoever arising in connection with the supply of these goods.

© Curfew is a registered trademark of Agri Solutions Limited

BATCH NO:

REGISTRANT

Agri Solutions Ltd
Level 1, 26 Crummer Road,
Grey Lynn, Auckland 1021

DISTRIBUTOR

AgriSource (2000) Ltd
45 Kitchener Road, Pukekohe 2120
09 237 0422. www.agrisource.co.nz

DATE OF

MANUFACTURE:

ACVM Registration No. P8010
See www.foodsaftey.govt.nz for registration conditions

HSNO Approval No. HSR100090
See www.epa.govt.nz for approval conditions

24 HOUR EMERGENCY RESPONSE 0800 CHEMCALL (0800 243 622)